STATE OF NORTH CAROLINA
DEPARTMENT OF ADMINISTRATION
PURCHASE AND CONTRACT DIVISION

7450-1 November 7, 2006 Digital Equipment Section

PRODUCT QUESTIONAIRE DIGITAL DICTATION EQUIPMENT

NOTE: This Product Technical Data must be filled out with utmost care and accuracy to provide all information required. Typing mistake(s), deviation(s) from requirement(s), wrong information, etc. placed on this Technical Data will eliminate your product from our evaluation process without the benefit of a second chance. If additional sheets are required make a copy. In the Response column check correct answer or fill in blank provided.

(DIGITAL, PORTABLE HAND-HELD RECORDER)

		_		
Bid Reference	Line Item #	<u>- Complete a separa</u>	te questionnaire for ea	ach product bid.
Brand				
Model				
Part #				
Requireme	nt		Response	
1. Type of portable recorde	r offered?	[] Class 1, [_	_] Class 2, [] Cla	ass 3
2. Type Recording Media		R	emovable, [] Non-rem	ovable
3. Recording Media – Minir	num capacity card	provided?	MB, or	GB
4. Maximum capacity of ex	pandable media u	sed for recording	MB, c	or GB
5. Recording File Formats Select all that apply.	[] IVA Digita [] WMA, [SS), [] CELP or ADPC	M, [] WAV,
6. Recording Modes Provided. No stereo modes are requested. [] Standard Play (SP), [] Long Play (LP), [] High Quality (HQ) Include HQ only if applicable				
7. Frequency Response of Indicate HQ only if applicate		LP Mode: l	kHz tokHz +/- 3	db Ref. 1 KHZ db Ref. 1 KHZ db Ref. 1 KHz
8. Recording Sampling Rates SP Mode: kHz Include HQ only if applicable. LP Mode: kHz HQ Mode: kHz				
9. Microphone Modes Prov	ided include Dicta	tion & Conference?	[_] Yes, [_] No	
10. Is a built-in microphone provided?				
11. Is a built-in speaker provided? Indicate size. [] Yes, mm diameter				
12. Are connectors provided for the headset, microphone and USB port? [] Yes, [] No				
13. Is a LCD display provided to indicate recording time reference, battery strength, mode of operation and document?				
14. Is an LED indicator provided to view the recording status?				
15. Does the recorder include Start/Stop, Record, Playback, Fast Forward, Rewind, Reverse & [Yes, [] No Erase controls?				
16. Does the recorder include the capability to add indexing and denote priority documents? [] Yes, [] No				
17. Does the recorder include the capable of Insert, append, overwrite dictation and partial [] Yes, [] No				
erase at any time?				

Digital Dictation Equipment Questionnaire

18. Does the recorder include the capable of Rewind or fast forward playback review in	☐ Yes, ☐ No	
increments of 1-5 seconds?	I I Van I I Na	
19. Does the recorder include a slide switch controls for record and edit functions?	Yes, No	
20. Does the recorder include document management capabilities to separate recordings into folders and messages or similar structure to allow sequential access of stored voice files?	D ∐ Yes, ∐ No	
21. Does the recorder include PC connectivity software for file download & conversion to a	[_] Yes, [_] No	
WAV format?		
22. Does the recorder include the capable of recording in an encrypted format for HIPAA		
compliant medical documents?		
23. Does the recorder include ability to download into speech recognition software via the		
digital software of identical manufacturer? Software for recorder is recognized and compatible	e 📗 Yes, 🔝 No	
with Dragon Naturally Speaking Versions 8 and 9?	- No	
24. Is the media compatibility between the recorder and transcribing kit Yes	No	
offered without the use of any interfacing unit? 25. Are the transcription unit offered of the same manufacturer as the Yes	No	
dictation unit?		
26. Battery type provided with recorder offered? [] Rechargeable Nickel-Cadm	nium. (Ni-Cad)	
What type battery is included with product bid to comply [] Rechargeable Nickel Metal		
with a Class recorder specification? [] Manganese-Alkaline heavy		
Other ->	•	
27. Battery Adaptor/Charger		
Is the recorder provided with a 120VAC AC adapter/ charger Yes No		
combination that plugs into a standard wall outlet? [] UL, [] ETL or [] other, fill	
Is an independent third party safety certification label on AC blank	· · · · · · · · · · · · · · · · · · ·	
adapter/charger and power cord if detachable?		
28. Indicate battery charger, power supply and cradle configuration.	Select	
A) Provide with power supply, battery charger and connection for computer file download are	: [_] A	
combined with cradle?	r 10	
B) Provided with power supply and battery charger combined?	<u> </u>	
C) Provide with battery charger separate, does not charge batteries installed in recorder? D) Provided with power supply adaptor allows for operation with batteries installed? C D) Provided with power supply adaptor allows for operation with batteries installed?		
D) Provided with power supply adaptor allows for operation with batteries installed? 29. Is the PC connectivity software compatible with Window 98? [] D		
30. Is the PC connectivity software compatible with Window XP & 2000?	[] Yes, [] No	
31. Is the PC connectivity software compatible with Mac OS 9.2 through 10.4?	[] Yes, [] No	
32. Does the contractor plan to provide all firmware and software updates or revisions free	[] Yes, [] No	
of charge for the digital recorders and pc connectivity software?	[_] 165, [_] 110	
33. Are updates available for a minimum of three years after expiration of the initial [] Yes, [] No		
warranty period or not less than the term of the contract?		
34. Does the contractor plan to document and maintain the product serial number, user , [] Yes, [] No		
user location, and agency identification for the notification of the software updates or		
revisions?		
35. If the software licenses are maintained by a separate agency, will both that agency and \[\] Yes, \[\] No		
registered product user receive notification of the available updates or revisions?		
36. Minimum Accessories - Provided with unit offered:		
An owner's manual, protective case or cover, batteries (type indicated above) & one		
recording media card, & download software (as indicated above).		
37. Is a foot control available to activate the record mode?	[_] Yes, [_] No	
38. Does the remote record switch require an optional cradle?	[_] Yes, [_] No	
39. Optional Accessories - Available for Separate Purchase.		
Attach a separate sheet with this information if necessary) Example Battery pack, AC attached.		
adapter, battery charger, AC charger/adaptor, and a telephone recording adaptor.		
40. Is the Warrenty provided in compliance with the Standard Specification #7450-1R?	[]Yes.[]No	

A certification signature and date are required for above responses on the last page of this section.

(DIGITAL, TRANSCRIPTION KIT)

Bid Reference	Line Item # Comple	te a separate questionnai	re for	each product bid.	
Brand					
Model					
Part #					
Requirem	nent	Resp	onse		
1. Transcription kits offered is of v					
offered in Section 1A)?		[] Class 1, [] Class 2	, [] (Class 3	
2. Does each kit include PC Foot	Controls Headset, USB cab	le, and Transcription PC	Y€	es, [] No	
software? (All Classes)					
3. Media Compatibility – Is the tra			and	∐ Yes, ∐ No	
recorder/ playback functions to th	e recorder offered in Sectior	1 1A without the use of any			
interfacing unit? (All Classes)					
4. Is the transcription kit of the sa		offered for identical class of	o†	∐ Yes, ∐ No	
recorder offered in Section 1A? (A		. b - draw - a - a - draw day		[1 \ / - [1 \] -	
5. Does kit include the head set a	ind foot controls for start/stop	b backspace and rewind		∐ Yes, ∐ No	
functions? (All Classes)		a recorder 2 (All Classes)		[] Voc [] No	
6. Does kit include a USB cable fo			wina fi	☐ Yes, ☐ No	
7. Does the software provide min	I include or configure a com			unctions.	
speed control, fast forward, rewin			ili Oi,	Yes,] No	
		onity, and visual display as			
described in Section 1A? (All Classes) 8. Does the software provide download verification by visually, audibly or both? (All Classes) L Yes, L No					
9. Does the software provide the ability to track dictation and transcription status? (All Classes) [] Yes, [] No					
10. Does the software provide the ability to random access within a visual display to any timed [] Yes, [] No					
location with in a message or sing		timi a visual display to arry	umca		
11. Does the software provide the ability to view the number of files, priorities, special					
instructions, remember where stopped transcribing if interrupted to start a new priority					
transcription? (All Classes)					
12. Does the software provide the ability to download into speech recognition software via the \[\] Yes, \[\] No					
transcription kit offered of identical manufacturer? (All Classes)					
13. Is the transcription software compatible with Dragon Naturally Speaking Versions 8 and 9				∐ Yes, ∐ No	
software? (All Classes)					
14. Does the software provide recognize the author ID on the recorder and automatically [] Yes, [] No					
downloads the voice files into the appropriate folder with a unique file ID number? (Class 1					
transcription kits only)					
15. Does the software provide instant e-mail feature that allows author to send voice files, as					
an attachment to any e-mail message? (Class 1 transcription kits only)					
16. Does the software provide capability to decrypt files from the digital recorder of identical Light No brand for HIPAA compliant medical documents? (Class 1 transcription kits only)					
brand for HIPAA compliant medical documents? (Class 1 transcription kits only) 17. Does the software provide the capability based upon the author profile voice files can be					
routed to predefined locations: PC Workstation (Peer to Peer Network) Transcriptionist, Local [] Yes, [] No					
Area Network (LAN) Directories, Wide Area Network (WAN) Directories, Automatic Routing of					
E-Mail or Multiple E-Mail Addresses, Automatic Routing to Multiple FTP Addresses? (Class 1					
transcription kits only)					
18. Is the transcription software compatible with Window 98? (Class 1 transcription kits only) [_] Yes, [_] No					
19. Is the transcription software compatible with Window XP & 2000? (All Classes)					

Digital Dictation Equipment Questionnaire

transcription kits only)	[_] Yes, [_] No		
21. PC Requirements - Vendor to indicate PC requirem disk storage, sound card, display, CD, and USB port on software they are offering.	d [] Supplement attached.		
22. Will the contractor provide all firmware and software a minimum of three years after expiration of the initial w		r	
23. Will the contractor document and maintain the product and agency identification for the notification of the softw	vare updates or revisions?	☐ Yes, ☐ No	
	24. If the software licenses are maintained by a separate agency, will the contractor contact both that agency and registered product user for notification of the available updates or		
25. Is the warrenty to be provided in compliance with the Standard Specification #7450-1R?			
26. Provide a list a separate sheet of optional accessories available that are compatable Supplement			
with above kit offered.		attached	
with above kit offered.		attached	
As an officer of this company, I atest that the inform equipment submitted are accuracte and truthful to t	nation provided in the above statem		
As an officer of this company, I atest that the inform	nation provided in the above statem		
As an officer of this company, I atest that the inform equipment submitted are accuracte and truthful to t	nation provided in the above statem		
As an officer of this company, I atest that the inform equipment submitted are accuracte and truthful to t Company Name of Bidder - Printed	nation provided in the above statem		

STATE OF NORTH CAROLINA
DEPARTMENT OF ADMINISTRATION
PURCHASE AND CONTRACT DIVISION

7450-1 November 7, 2006 Analog Equipment Section

PRODUCT QUESTIONAIRE ANALOG DICTATION EQUIPMENT

NOTE: This Product Technical Data must be filled out with utmost care and accuracy to provide all information required. Typing mistake(s), deviation(s) from requirement(s), wrong information, etc. placed on this Technical Data will eliminate your product from our evaluation process without the benefit of a second chance. If additional sheets are required make a copy. In the Response column check correct answer or fill in blank provided.

(ANALOG, PORTABLE HAND-HELD RECORDER)

Bid Reference	Line Item # Complete a se	parate qu	estionnaire sheet f	for each product bid.
Brand				
Model				
Part #			<u>-</u>	
	Requirement			sponse
Recording Media Provid		ette, [] I	Mini cassette, [] S	tandard cassette
Battery type provided?				
	Cadmium, (Ni-Cad)			
	[] Rechargeable Nickel Met			
	[] Manganese-Alkaline hea	vy-duty, [_	_] Other ->	
Battery Adaptor/Charge			_	
	AC adapter/ charger plugs into a		_Yes No	
standard wall outlet? [] UL, [] ETL or [] other,				
	ndent third party safety certification	label L	ist below if other sa	fety Listing provider
on AC adapter/charger ar	nd power cord if detachable?	_		
Total Danasalisas Tissas sa	an anatha anatha d		T	
Total Recording Time p	•			malia saka a
	licrocassette Minicassette Standard	<u></u>		_ minutes
Minimum minutes	60 30 60			
Tape Speed	4.0 / (0.04.0.47.170)			,
	or 1.2 cm/sec , (0.94, 0.47 IPS)			_ cm/sec
Minicassette: 38 R				RPM
	ec or 2.4 cm/sec, (1.875, 0.94 IPS)			_ cm/sec
	Playback Frequency Response		e the following:	db Daf 4 1/117
•	KHZ +/- 3 db Ref. 1 KHZ and	KHZ		db Ref. 1 KHZ
100 Hz to 1 KHZ +/- 4 db Ref. 1 KHZ. KHZ to KHZ +/ db Ref. 1 KHZ				
Start/Stop Actuation Braking Action Shall be virtually instantaneous without loss of recording (no 'clipped' words).			∏Yes □No	
Minimum Features Prov		clipped \	wuius).	I I G2 I INO
(To be included in the each price offered and shipped with the unit)				
Batteries, One recording media, Protective case or cover				
Optional Accessories, (Made available for purchase)				
Battery pack AC adapter	• • •			□Yes □ No

Media Compatibility		
Required between dictating, transcribing and portable units offered without the	Transc	ription unit offered is
use of any interfacing unit. *Transcription unit offered must be the same		me man <u>uf</u> actur <u>er</u> as
manufacturer as the dictation unit	dictatio	n unit? Yes No
Minimum Features (manual indexing)		
Start/Stop, Record/Rewind, Playback with volume control,		☐Yes ☐ No
Battery Strength Indicator, Built in Microphone		
Electronic Cueing (dual indexing minimum) with visual display (auto scan & i	indexing)	
Minimum Features (electronic cueing, dual indexing minimum, with visual		
display, auto scan and indexing)	Yes	No
Start/Stop, Record/Rewind control, Playback with volume control, Cueing, Duel		_
Indexing, Battery Strength Indicator, Built in Microphone		
Optional Accessories - Available for Separate Purchase.		☐ Yes, ☐ No
Attach a separate sheet with this information if necessary) Example Battery pack, A	AC	
adapter, battery charger, AC charger/adaptor		
Warrenty provided is in compliance with the Standard Specificaiton #7450-1F	₹?	☐ Yes, ☐ No

A certification signature and date are required for above responses on the last page of this section.

Desktop, Analog, Dictation Units

Bid Reference	Line Item # - Complete	a separa	ate questionnaire for each product bid.
Requirement	Response		
Brand			
Model			
Part #			
Operating Power Directly operable from	120V, 60Hz.		☐Yes ☐ No
Safety Certification -	Dictation unit and power cord if		Yes No
	ed with an independent third pa	ırty	UL, [] ETL or [] other, fill
safety certification labe			blank
Recording Media Provid	led?		Micro cassette Mini cassette Standard cassette Mini cassette Mini cassette
Total Recording Time	per cassette		
Microcassette: 60 minutes		minutes	
Minicassette: 30 minu	utes		
Standard: 60 min	utes		
Tape Speed			
Microcassette: 2.4 or 1	.2 cm/sec (0.94, 0.47 IPS)		cm/sec
Minicassette:38 RPM			RPM
	r 2.4 cm/sec (1.875, 0.94 IPS)		cm/sec
	Playback Frequency Response		ete the following:
	KHZ +/- 3 db Ref. 1 KHZ and		HZ to KHZ +/ db Ref. 1 KHZ
100 Hz to 1 KHZ +/- 4 db			HZ to KHZ +/ db Ref. 1 KHZ
	Braking Action - Shall be virtu		
	oss of recording (no 'clipped' w	oras).	YesNo
Minimum Features			
(to be included in the	each price offered and shipp	ed	Yes No

with the unit)			
Handheld Microphone with controls for record/start/stop/			
Rewind, One recording media.			
Optional Accessories			
(to be made available for purchase. Indicate item, list	│		
price, % discount and NC price and the product(s) it is			
compatible with. Attach a separate sheet with this			
information if necessary)	<u> </u>		n unit offered is
Media Compatibility –			n unit offered is nanufacturer as
Required between dictating, transcribing and portable units of	.0.00		tion unit?
without the use of any interfacing unit. *Transcription unit offer be the same manufacturer as the dictation unit.	rea musi	П	
Minimum Features			
(manual indexing)			s∏No
•		_ LYes	5 ∐ NO
On/off/standby power switch, volume control Fast forward/rewind (back-up), Erase capability			
`	covimata		
Stop/play functions, Resettable digital display counter for appr location & length of each recorded message	Oximale		
Minimum Features			
(electonic cueing, dual indexing minimum, with visual	☐Yes ☐ No		
display, auto scan and indexing)			
On/off/standby power switch, volume control			
Fast forward/rewind (back-up), Erase capability			
Stop/play functions			
Electronic cueing (dual indexing) on recording tape			
controlled by the microphone.			
Visual display indicates the number, location and			
approximate length of each recorded message.			
Cueing system places audible or machine readable tone on			
the recording media.			
3	l		
Electronic Cueing (dual indexing minimum) with visua	al display (auto	scan & ir	ndexing)
Minimum Features (electronic cueing, dual indexing minimun	n, with visual di	splay,	
auto scan and indexing)			
On/off standby powerswitch. Volume Control, fast forward/rev			
capability, Stop/play functions. Electronic cueing (dual indexing	ng) on recording	g tape	
controlled by the microphone.			
Visual display indicated the number, .ocation and approximate			YesNo
recorded message. Separate indexing into categories for (1)	letters, (2) spec	ial	
instructions.	_		
 Electronic display or sursor indicates exact point locati 	on of the tape i	n	
relationship to the indexing points at all times.			
 Capable of scanning the entire tape and automatically 	indexing to the	desired	
indexed/cued point.			
 Cueing system places audible or machine readable tor 	ne on the record	ding	
media.			
 Capable of receiving telephone recorded message. 			
Warrenty provided is in compliance with the Standard Specifica	iton #7450 1D0		[_] Yes, [_] No
i vvarrenty provided is in compliance with the Standard Specifica	#/45U-1代!		E5, NO

A certification signature and date are required for above responses on the last page of this section.

Desktop, Analog, Transcription Units

Bid Reference	Line Item # Complete	a separa	te questionnaire for	r each product bid.
Requirement		Resp	onse	
Brand				
Model				
Part #				
Tape type offered - I				
Microcassette, Minica	assette or Standard	[] Mic	ro, [] Mini, [] S	Standard
Operating Power			☐Yes ☐ No	
Directly operable from				
_	 Transcription unit and power 		Yes No	
	ided with an independent third p	party		or [] other, fill
safety certification lab			blank	
Total Recording Tin				
Microcassette: 60 mi			minutes	
	nutes			
	inutes			
Tape Speed	r 1.2 cm/sec (0.94, 0.47 IPS)		cm/sec	
Minicassette:38 RPM			RPM	
	or 2.4 cm/sec(1.875, 0.94 IPS)		cm/sec	
Provide the Recording/Playback Frequency Response Complete the following:				
For example 1 KHZ to 5 KHZ +/- 3 db Ref. 1 KHZ and KHZ to KHZ +/ db Ref. 1 KHZ				
100 Hz to 1 KHZ +/- 4 c	db Ref. 1 KHZ.		KHZ to $\overline{}$ KHZ +/-	db Ref. 1 KHZ
Start/Stop Actuation Braking Action - Shall be virtually instantaneous				
without loss of recording (no 'clipped' words).				
Minimum Features Provided - Head set, Foot control with start/stop,				
	ckspace and rewind functions. Yes No			YesNo
-	Optional Accessories - (to be made available for purchase. Indicate item, list			
•	NC price and the product(s) it	is compa	tible with. Attach	∐Yes ∐ No
	this information if necessary)	., .		
	- Required between dictating, t			
	units offered without the use of any interfacing unit. *Must be compatible with and Yes No			∐res ∐ino
same manufacturer as the dictation unit. Manual Indexing				
Minimum Faaturaa	(manual indexing) - Volume co		ot forward	
	esettable digital counter (mecha	•	•	☐Yes ☐ No
			•	
	eing (dual indexing minimum			o scarr & iriuexiriy)
Minimum Features (electonic cueing, dual indexing minimum, with visual display, auto scan and indexing)				
	switch, Volume control			
Ontolitsianuby power	SWILLIN, VOIGITIE COTTUO			

Speed control, Fast forward, rewind (back space), erase capability	
Visual display indicates the number, location and approximate length of each	
recorded message.	
Separate indexing into categories for (1) letters, (2) special instructions.	
Electronic display or cursor indicates exact point location of the tape in	
relationship to the indexing points at all times.	
Capable of scanning the entire tape and automatically indexing to the desired	
indexed/cued point.	
Cueing system places audible or machine readable tone on the recording	
media.	
Warrenty provided is in compliance with the Standard Specification #7450-1R?	[] Yes, [] No

A certification signature and date are required for above responses on the last page of this section.

Desktop, Analog, Combination Units

Bid Reference	Line Item # Complete a	separa	te questionnaire for each product bid.
Requirement		Resp	onse
Drond			
Brand			
Model			
Part #			
Tape type offered -	Recording Media		
Microcassette, Minic	assette or Standard		[] Micro, [] Mini, [] Standard
Operating Power			□Yes □ No
Directly operable fro	m 120V, 60Hz.		
Safety Certification – Combination unit and power cord if Yes No			☐Yes ☐ No
detachable, are prov	vided with an independent third pa	rty	[] UL, [] ETL or [] other, fill
safety certification la	bel?		blank
Total Recording Tir			
Microcassette: 60 m	ninutes		
Minicassette: 30 m	inutes		min.
Standard: 60 n	ninutes		
Tape Speed			
Microcassette: 2.4 c	or 1.2 cm/sec (0.94, 0.47 IPS)		cm/sec
Minicassette: 38 RP	M		RPM
	c or 2.4 cm/sec (1.875, 0.94 IPS)		cm/sec
	g/Playback Frequency Response		ete the following:
•	5 KHZ +/- 3 db Ref. 1 KHZ and		HZ to KHZ +/ db Ref. 1 KHZ
100 Hz to 1 KHZ +/- 4 db Ref. 1 KHZ KHZ to KHZ +/ db Ref. 1 KHZ			
Warrenty provided is in compliance with the Standard Specificaiton #7450-1R?			

A certification signature and date are required for above responses on the last page of this section.

As an officer of this company, I atest that the information provided in the above statements for the analog equipment submitted are accuracte and truthful to the best of my knowledge.		
Company Name of Bidder - Printed		
Officer of the Company - Printed Name		
Signature:		
Date:		